Northwest Science
Volume 64 (1990)
Author and Subject Index

[All author entry headings are in capital letters. Abstract numbers are shown in parentheses (abs. #) after page numbers.]

Abies *see* firs
Acer *see* maples
acid rain *see* deposition, acidic
AGEE, J.K. Fire history on two sites in the Siskiyou Mountains, Oregon. 114 (abs. 94)
ALABACK, P.B. *see* Concannon *et al.*, 94 (abs. 16)
Alaska
  earthquake, 1964: Plafker, 250-258
  isolated forest patches: Concannon *et al.*, 94 (abs. 16)
  moose browse after fire: MacCracken and Viereck, 11-18
  plant succession on wetlands: Thilenius, 259-262
  Taku Glacier: Pelto and Miller, 121-130
  yellow-cedar basal scars: Hennon *et al.*, 45-54
Alberta, Canada
  bat diet: Brigham and Saunders, 7-10
Alces *see* moose
alders, red (*Alnus rubra*)
  forest vertebrate abundances: Chambers *et al.*, 101 (abs. 44)
  planting stock: Radwan and Fangen, 91 (abs. 2)
  seedling growth: Cole and Newton, 91 (abs. 1)
  size-density surface: Puettmann *et al.*, 91 (abs. 3)
  water stress: Giordano and Hibbs, 91 (abs. 4)
algae, green
  mitochondrial respiration: Wegner *et al.*, 109 (abs. 74)
Alnus *see* alders
amphibians
  abundances in red alder forest: Chambers *et al.*, 101 (abs. 44)
ANDERSON, N.H. *see* Dieterich and Anderson, 105 (abs. 59)
ANTIEAU, C. and C. McSHANE. Rare plant surveys for the Koma Kulshan Hydroelectric Project, Mount Baker, Washington. 108 (abs. 70)
Aplodontia *see* mountain beavers
Arbutus *see* madrone
Armillaria ostoyae
  and fire: Reaves *et al.*, 39-44
ARNO, S.F. and J.K. BROWN. Overcoming the paradox in managing wildland fire. 114 (abs. 96)
ARTHURS, J. *see* Shaw and Arthurs, 97 (abs. 28)
ASKHAM, L.R. Converting solar powered calculators to data loggers. 102 (abs. 47)
Atriplex *see* rillscale
avalanches
  and debris floor: Cameron and Pringle, 159-164

BAHLS, P.F. Status of fish populations and management of mountain lakes in the western U.S. 106 (abs. 62)
BAKER-KATZ, K. *see* Tesch *et al.*, 131-139
bats, big brown (*Eptesicus fuscus*)
  diet: Brigham and Saunders, 7-10
BEAUCHAMP, D.A. Movements, habitat use, and spawning strategies of Arctic grayling in a subalpine lake tributary. 195-207
BEDUNAH, D.J. *see* Gilliland and Bedunah, 93 (abs. 12)
BENSON, G.L. Mixed conifer ecological types in the California Sierra Nevada. 96 (abs. 24)
BLUS, L.J. and C.J. HENNY. Lead and cadmium concentrations in mink from northern Idaho. 219-223
BOYLE, J.R. *see* Shaw *et al.*, 104 (abs. 54)
Brachypodum sylvaticum
  in MacDonald-Dunn forest: Leavell and Hubbard, 108 (abs. 72)
BRIGHAM, R.M. and M.B. SAUNDERS. The diet of big brown bats (*Eptesicus fuscus*) in relation to insect availability in southern Alberta, Canada. 7-10
BROWN, J.K. *see* Arno and Brown, 114 (abs. 96)
BURTON, D., C.L. HANSON and M. MOLNAU. Frost distribution and occurrence on a rangeland watershed in southwest Idaho. 140-149
BUSH, J.L. *see* Gaines *et al.*, 102 (abs. 45)

cadmium
  in mink: Blus and Henny, 219-223
CAI, Y.C. *see* Wang *et al.*, 98 (abs. 30)
CAICCO, S.L. Life history, population dynamics, and conservation status of *Calochortus nitidus* (Liliaceae). 108 (abs. 71)
California
  Coast Range slump-formed ponds: Marcot, 55-63
Calochortus nitidus
  life history and status: Caicco, 108 (abs. 71)
CAMERON, K.A. and P.T. PRINGLE. Avalanche-generated debris flow of 9 May, 1986, at Mount St. Helens, Washington. 159-164
CAMM, E.L. and G. HARPER. Root growth in spruce seedlings planted after storage: effect of storage duration depends on soil temperature. 99 (abs. 33)
CAMPBELL, D.L. and J.P. FARLEY. Evaluation of the repellency of powdered starling to deer and mountain beavers. 101 (abs. 43)
CAPUZZO, J.M. Biological effects of petroleum hydrocarbons: predictions of long-term effects and recovery. 247-249
Cardaria *see* whitetop
cedars
  western red (*Thuja plicata*)
    seedling frost hardiness: Silim *et al.*, 100 (abs. 39)
  yellow (*Chamaecyparis nootkatensis*)
    basal scars: Hennon *et al.*, 45-54
    seedling frost hardiness: Silim *et al.*, 100 (abs. 39)
Centaurea *see* knapweed
Chamaecyparis *see* cedars
CHAMBERS, C., W. McCOMB, and M. NEWTON. Terrestrial vertebrate abundances in red alder (*Alnus rubra*) forests in the Oregon Coast Range. 101 (abs. 44)
CHANWAY, C.P. Plant growth promoting rhizobacteria for conifers. 99 (abs. 34)
CHARLESON, L. *see* Lavender *et al.*, 99 (abs. 36)
_____. *see also* Lavender *et al.*, 100 (abs. 37)
_____. *see also* Lavender and Charleson, 100 (abs. 40)
_____. *see also* Silim *et al.*, 100 (abs. 38)
_____. *see also* Silim *et al.*, 100 (abs. 39)
CHEN, J., J. FRANKLIN and T. SPIES. Edge phenomena: biological measurements. 95 (abs. 17)
CLARK, D.L. and M.V. WILSON. Propagule sources of revegetation after disturbance. 106 (abs. 64)
Clarkia, Id.
  fossil leaves: Giannasi, 232-235

CLATTERBAUGH, K.C. *see* Concannon and Clatterbaugh, 95 (abs. 20)
Coast Range, Or.
tree seedlings: Minore, 96 (abs. 21)
COLE, E.C. and M. NEWTON. Comparative growth of seedling red alder and western hemlock growing in pure and mixed stands. 91 (abs. 1)
CONCANNON, J.A. and K.C. CLATTERBAUGH. Science, philosophy, and the Forest Service. 95 (abs. 20)
CONCANNON, J.A., P.B. ALABACK and J.F. FRANKLIN. Edge effects of a forest island in southeast Alaska. 94 (abs. 16)
conifers
plant growth promoting rhizobacteria: Chanway, 99 (abs. 34)
seedling growth after fires: Crampton and Lavender, 98 (abs. 31)
see also Douglas-firs; firs; hemlocks; junipers; pines; spruces; yews
Copper River Delta, Ak.
plant succession on wetlands: Thilenius, 259-262
CRAMPTON, D. and D.P. LAVENDER. Morphological and physiological responses of Douglas-fir, western larch, Engelmann spruce, and lodgepole pine to changes in soil moisture potential and light intensity on a burned, mesic, south-exposed site with two levels of vegetation removal. 98 (abs. 31)
Crater Lake, Or.
phytoplankton: McIntire and Debacon, 115 (abs. 97)
CRAWFORD, D.L. *see* Entry *et al.*, 104 (abs. 56)
CRAWFORD, M.S. *see* Tesch *et al.*, 131-139
CRISAFULLI, C.M. *see* Frenzen and Crisafulli, 263-267
CROMACK, K. *see* Entry *et al.*, 104 (abs. 56)
CROOKS, F.B. Comparison of presettlement and present old-growth forest communities in the Shawnee Hills, Illinois. 104 (abs. 53)
CUMMINGS, S.A. and J.G. HALLETT. DNA fingerprinting in studies of natural populations. 101 (abs. 41)

DNA
fingerprinting in mice and voles: Cummings and Hallett, 101 (abs. 41)
from "fossil" leaves: Giannasi, 232-235
DAMBACHER, J.M. Rearing ecology of juvenile steelhead (*Oncorhynchus mykiss*) and habitat analysis of Steamboat Creek basin, Oregon. 105 (abs. 60)
data collection
with solar powered calculators: Askham, 102 (abs. 47)
DAVIS, J.R. A survey of lichens on *Quercus garryana* in the Columbia River gorge. 111 (abs. 83)
DAVIS, L.E. *see* Seward and Davis, 208-218
DEBACON, M. *see* McIntire and Debacon, 115 (abs. 97)
DEBOLT, A.M. Lichens of Glacier National Park, Montana. 112 (abs. 87)
deer (*Odocoileus*)
black-tailed (*O. hemionus columbianus*)
repelled by powdered starling: Campbell and Farley, 101 (abs. 43)
mule (*O. hemionus*)
habitat and movement: Thomas and Irby, 19-27
DENISON, W.C. and S.C. SILLETT. Sampling canopy lichens. 111 (abs. 81)
deposition, acidic
in Hoh River valley: Thomas and Edmonds, 93 (abs. 11)
and seedling development: Gilliland and Bedunah, 93 (abs. 12)
DIETERICH, M. and N.H. ANDERSON. Temporary stream communities in western Oregon: life histories of dominant mayflies and stoneflies. 105 (abs. 59)
disasters, environmental
Alaska earthquake 1964: Plafker, 250-258
nature of recovery: Vance and Wilson, 237-238
mountain fires: Stickney, 243-246
petroleum hydrocarbons and marine life: Capuzzo, 247-249
plant succession after earthquakes: Thilenius, 259-262
Yellowstone fires 1988: Wakimoto, 239-242
see also Mount St. Helens
DONNELLY, P.K. *see* Entry *et al.*, 104 (abs. 56)
Douglas-firs (*Pseudotsuga menziesii*)
canopy closure: Lowe, 95 (abs. 19)
effects of fire: Agee, 114 (abs. 94); Gray, 114 (abs. 93)
fertilization and liming: Hanley, 92 (abs. 5)
and lichens: Enns, 110 (abs. 80); Sillett, 111 (abs. 82)
planting methods: Emmingham *et al.*, 92 (abs. 6)
seedling damage by logging: Tesch *et al.*, 131-139
size-density surface: Puettmann *et al.*, 91 (abs. 3)
starling powder and seedling damage: Campbell and Farley, 101 (abs. 43)
drought resistance *see* water

earthquakes
plant succession on uplifted wetlands: Thilenius, 259-262
tectonic displacement in Alaska: Plafker, 250-258
EDDLEMAN, L.E. *see* Kramer and Eddleman, 93 (abs. 9)
_____. *see also* Miller *et al.*, 93 (abs. 10)
EDMONDS, R.L. *see* Thomas and Edmonds, 93 (abs. 11)
EMMINGHAM, W., S. SHARROW and J. ENTRY. Comparison of early growth and form of Douglas-fir planted in cluster and grid patterns. 92 (abs. 6)
ENNS, K.A. Mass transplants of arboreal lichens. 110 (abs. 80)
ENTRY, J. *see* Emmingham *et al.*, 92 (abs. 6)
ENTRY, J.A., P.K. DONNELLY, D.L. CRAWFORD and K. CROMACK. The effect of temperature, moisture and soil acidity on lignin and cellulose decomposition in forest soils. 104 (abs. 56)
Eptesicus *see* bats
eruptions, volcanic *see* Mount St. Helens
Evernia *see* lichens

FANGEN, W.V. *see* Radwan and Fangen, 91 (abs. 2)
FARLEY, J.P. *see* Campbell and Farley, 101 (abs. 43)
fertility *see* populations
fires
conifer seedling growth in burn: Crampton and Lavender, 98 (abs. 31)
duff burnout: Martin and Scott, 113 (abs. 89)
in logging slash: Hall, 113 (abs. 92)
managing wildland fires: Arno and Brown, 114 (abs. 96)
moose browse regrowth: MacCracken and Viereck, 11-18
and natural forest structure: Gray, 114 (abs. 93)
North Fork fire 1988: Omi and Kostas, 114 (abs. 95)
in Rocky Mountains: Stickney, 243-246
in sagebrush ecosystems: Sapsis and Kauffman, 113 (abs. 91)
in Siskiyou Mountains: Agee, 114 (abs. 94)
smouldering peat: Frandsen, 113 (abs. 90)
and soil fungi: Reaves *et al.*, 39-44
Yellowstone fire 1988: Wakimoto, 239-242
firs (*Abies*)
noble (*A. procera*)
fertilization and liming: Hanley, 92 (abs. 5)
Pacific silver (*A. amabilis*)
and Mt. St. Helens tephra: Segura *et al.*, 94 (abs. 15)

fish
Arctic grayling: Beauchamp, 195-207
in mountain lakes: Bahls, 106 (abs. 62)
steelhead rearing: Dambacher, 105 (abs. 60)
stocked trout; Lomnicky, 106 (abs. 63)
trout fry: Young *et al.*, 220-231
forage, herbivore
rillscale: Voorhees and Uresk, 181-186
forestry
and acidic deposition: Gilliland and Bedunah, 93 (abs. 12)
canopy closure: Lowe, 95 (abs. 19)
climate change and tree growth: Webb, 94 (abs. 14)
conifer growth: Crampton and Lavender, 98 (abs. 31)
Douglas-fir seedling recovery: Tesch *et al.*, 131-139
duff burnout: Martin and Scott, 113 (abs. 89)
edge phenomena: Chen *et al.*, 95 (abs. 17)
fires and forest structure: Gray, 114 (abs. 93)
fires in logging slash: Hall, 113 (abs. 92)
headland community: Rust, 96 (abs. 23)
isolated forest patches: Concannon *et al.*, 94 (abs. 16)
mixed conifer forests: Benson, 96 (abs. 24)
old-growth forests: Crooks, 104 (abs. 53); Huff, 97 (abs. 26); Van Pelt, 97 (abs. 27)
Pinus brutia sensitivity: Isik *et al.*, 98 (abs. 29)
plantation simulator model: Harrington *et al.*, 92 (abs. 8)
revegetation after disturbance: Clark and Wilson, 106 (abs. 64)
rhizobacteria: Chanway, 99 (abs. 34)
in riparian areas: Minore, 96 (abs. 21)
seedlings and photoperiods: Lavender *et al.*, 99 (abs. 36) and 100 (abs. 37)
shrub drought resistance: Wang *et al.*, 98 (abs. 30)
tree invasion by rivers: Van Pelt, 95 (abs. 18)
U.S. Forest Service: Concannon and Clatterbaugh, 95 (abs. 20)
valley deposition: Thomas and Edmonds, 93 (abs. 11)
see also alders; Douglas-firs; firs; hemlocks; junipers; maples; pines; spruces; yews
fossils
leaves and DNA: Giannasi, 232-235
FRANDSEN, W.H. Burning rate of smoldering peat. 113 (abs. 90)
FRANKLIN, J. *see* Chen *et al.*, 95 (abs. 17)
FRANKLIN, J.F. *see* Concannon *et al.*, 94 (abs. 16)
FRENZEN, P.M. and C.M. CRISAFULLI. Mount St. Helens ten years later: past lessons and future promise. 263-267
fungi
ascus and spore morphology: Sherwood-Pike, 111 (abs. 84)
in soil: Reaves *et al.*, 39-44

GAINES, W.L., E.R. GARCIA, J.L. BUSH and A. SPRAGUE. Results of two years of spotted owl inventories in the Upper Skagit River drainage. 102 (abs. 45)
GARCIA, E.R. *see* Gaines *et al.*, 102 (abs. 45)
GAYLORD, D.R. *see* Lindsey and Gaylord, 165-180
geology
carbonate lithologies: Seward and Davis, 208-218
Lake Missoula floods: Long, 103 (abs. 50)
Ringold Formation: Lindsey and Gaylord, 165-180
GIANNASI, D.E. The Clarkia "fossil" leaves: windows to the past. 232-235
GIBBONS, S. *see* Larson *et al.*, 105 (abs. 58)
GILLIES, S.L. and W.E. VIDAVER. Visible damage in white spruce seedlings after short daylength treatment. 98 (abs. 32)
GILLILAND, L.L. and D.J. BEDUNAH. A comparison of two methods of acidic deposition in conjunction with heavy metal effects on seedling development on northern Rocky Mt. *Picea Engelmannii* Parry. 93 (abs. 12)
GIORDANO, P. and D.E. HIBBS. The role of water stress in mediating intraspecific competition among red alder trees. 91 (abs. 4)
Glacier National Park, Mt.
lichens: DeBolt, 112 (abs. 87)
glaciers
mass balance of Taku Glacier: Pelto and Miller, 121-130
goats, mountain (*Oreamnos americanus*)
fertility control: Hoffman and Wright, 1-6
GRAY, A.N. Fire frequency effects on natural forest structure in the southern Washington Cascades. 114 (abs. 93)
grayling, Arctic (*Thymallus arcticus*)
spawning strategies and habitat use: Beauchamp, 195-207
GRIFFITH, J.A. and P.L. JACKSON. A practical assessment of the wetland evaluation technique (WET) as a tool for meeting Oregon's land use planning goal five requirements. 104 (abs. 52)
groundwater *see* water
GUY, R.D. and D. HOLOWACHUK. Effects of CO_2 enrichment on growth on Engelmann spruce. 94 (abs. 13)
GUY, R.D. *see also* Weger *et al.*, 109 (abs. 74)

habitats
and migrating mule deer: Thomas and Irby, 19-27
slump-formed ponds: Marcot, 55-63
of steelhead: Dambacher, 105 (abs. 60)
HALL, J.N. Comparison of fuel consumption between high-intensity fires and moderate-intensity fires in logging slash. 113 (abs. 92)
HALLETT, J.G. and M.A. O'CONNELL. A cohort model of microtine rodent dynamics. 101 (abs. 42)
HALLETT, J.G. *see also* Cummings and Hallett, 101 (abs. 41)
Hanford Site, Wa.
groundwater recharge: Routson and Johnson, 150-158
Ringold Formation: Lindsey and Gaylord, 165-180
HANLEY, D.P. Fertilization and liming of Douglas-fir and noble fir Christmas trees. 92 (abs. 5)
HANN, D.W. *see* Puettmann *et al.*, 91 (abs. 3)
HANSEN, E.M. *see* Hennon *et al.*, 45-54
HANSON, C.L. *see* Burton *et al.*, 140-149
HARPER, G. *see* Camm and Harper, 99 (abs. 33)
HARRINGTON, T.B., J.C. TAPPEINER and T.F. HUGHES. PSME: plantation simulator—mixed evergreen. 92 (abs. 8)
HARRISON, R. *see* Xue *et al.*, 105 (abs. 57)
HAWKINS, C. *see* Larson *et al.*, 105 (abs. 58)
HAWKINS, C.P. and J.R. SEDELL. The role of refugia in the recolonization of streams devastated by the 1980 eruption of Mount St. Helens. 271-274
hemlocks, western (*Tsuga heterophylla*)
seedling growth: Cole and Newton, 91 (abs. 1)
wetwood: Shaw, 97 (abs. 28)
HENNON, P.E., E.M. HANSEN and C.G. SHAW. Causes of basal scars on *Chamaecyparis nootkatensis* in southeast Alaska. 45-54
HENNY, C.J. *see* Blus and Henny, 219-223
HENRY, C.L. *see* Xue *et al.*, 105 (abs. 57)
HIBBS, D.E. *see* Giordano and Hibbs, 91 (abs. 4)
_____. *see also* Puettmann *et al.*, 91 (abs. 3)
HINCKLEY, T.M. *see* Segura *et al.*, 94 (abs. 15)
HOFFMAN, R.A. and R.G. WRIGHT. Fertility control in a non-native population of mountain goats. 1-6
Hoh River Valley, Wa.
atmospheric deposition: Thomas and Edmonds, 93 (abs. 11)
HOLOWACHUK, D. *see* Guy and Holowachuk, 94 (abs. 13)
HOSPODARSKY, D.C. Modelling regional recreation patterns: toward comprehensive recreation resource planning in the Northwest. 103 (abs. 49)

HUBBARD, C.J. *see* Leavell and Hubbard, 108 (abs. 72)
HUBERT, W.A. *see* Young *et al.*, 224-231
HUFF, M.H. Evaluating ecological significance of old-growth forests. 97 (abs. 26)
HUGHES, T.F. *see* Harrington *et al.*, 92 (abs. 8)
HUSTED, L.D. Effects of soil temperature and mycorrhizal inoculation on white spruce (*Picea glauca*) seedling growth and physiology. 99 (abs. 35)

Idaho
  fossil leaves: Giannasi, 232-235
  mule deer habitat: Thomas and Irby, 19-27
Illinois
  forest communities: Crooks, 104 (abs. 53)
INGERSOLL, C.A. and M.V. WILSON. Seed banks of four microhabitats in alpine tundra of the Oregon high Cascades. 107 (abs. 65)
insects *see* mayflies; stoneflies
IRBY, L.R. *see* Thomas and Irby, 19-27
ISIK, K., Z. KAYA and C.-H. TUNG. Environmental sensitivity of *Pinus brutia* populations for two growth traits. 98 (abs. 29)

JACKSON, P.L. *see* Griffith and Jackson, 103 (abs. 52)
JOHN, E.A. Interspecific interactions and species distributions in the corticolous lichen community growing on red oaks in northern Michigan. 112 (abs. 85)
JOHNSON, V.G. *see* Routson and Johnson, 150-158
Juan de Fuca Strait, Wa.
  headland plant community: Rust, 96 (abs. 23)
junipers, western (*Juniperus occidentalis*)
  allocation patterns: Miller *et al.*, 93 (abs. 10)
  structural patterns: Kramer and Eddleman, 93 (abs. 9)
Juniperus *see* junipers

KALABOKIDIS, K. *see* Omi and Kalabokidis, 114 (abs. 95)
KAUFFMAN, J.B. *see* Sapsis and Kauffman, 113 (abs. 91)
KAYA, Z. *see* Isik *et al.*, 98 (abs. 29)
KAYE, T.N. Seed dormancy in alpine-subalpine plants. 107 (abs. 66)
KIEMNEC, G. and L. LARSON. Germination of whitetop (*Cardaria draba* L.) and diffuse knapweed (*Centaurea diffusa* Lam.) as influenced by osmotic and salt stresses. 107 (abs. 67)
knapweed, diffuse (*Centaurea diffusa*)
  seed germination: Kiemnec and Larson, 107 (abs. 67)
KRAMER, S. and L.E. EDDLEMAN. Structural patterns in young *Juniperus occidentalis*. 93 (abs. 9)
KRAMER, S. *see also* Miller *et al.*, 93 (abs. 10)
KWIATKOWSKI, S. *see* Southworth and Kwiatkowski, 109 (abs. 73)

lakes
  Arctic grayling: Beauchamp, 195-207
  fish populations: Bahls, 106 (abs. 62)
  phytoplankton: McIntire and Debacon, 115 (abs. 97)
  recovery: Larson, 106 (abs. 61); Wissmar, 268-270
  slump-formed ponds: Marcot, 55-63
  stocked trout: Lomnicky, 106 (abs. 63)
  see also streams
LARSON, D.W. Tracking the limnological recovery of volcanically impacted Spirit Lake, Mount St. Helens, Washington: 1980-1989. 106 (abs. 61)
LARSON, G.L., C. HAWKINS, B. SAMORA and S. GIBBONS. Water quality of glacial and non- glacial streams in Mount Ranier National Park. 105 (abs. 58)
LARSON, L. *see* Kiemnec and Larson, 107 (abs. 67)
LARSON, L.L. *see* McInnis *et al.*, 107 (abs. 68)
LAVENDER, D.P. and L. CHARLESON. Effects of several site preparation techniques upon the shoot and root growth of white spruce (*Picea glauca* (Moench.) Voss.) and lodgepole pine (*Pinus contorta* Dougl.) seedlings. 100 (abs. 40)
LAVENDER, D.P., S.N. SILIM and L. CHARLESON. Effects of short photoperiod treatments during late summer upon the hardiness and abscisic acid content of boreal forest seedlings. 99 (abs. 36)
_____. Effects of a daily photoperiod during cold storage on the physiology and growth of boreal forest seedlings. 100 (abs. 37)
LAVENDER, D.P. *see also* Crampton and Lavender, 98 (abs. 31)
_____. *see also* Silim *et al.*, 100 (abs. 38)
_____. *see also* Silim *et al.*, 100 (abs. 39)
lead
  in lichen: McCune, 110 (abs. 79)
  in mink: Blus and Henny, 219-223
LEAVELL, D.M. and C.J. HUBBARD. The presence of *Brachypodium sylvaticum* in MacDonald-Dunn forest. 108 (abs. 72)
lichens
  and air pollution: Sillett, 111 (abs. 82)
  ascus and spore morphology: Sherwood-Pike, 111 (abs. 84)
  canopy lichens sampled: Denison and Sillett, 111 (abs. 81)
  Evernia prunastri: McCune, 110 (abs. 79); Stone and McCune, 110 (abs. 78)
  in Glacier National Park: DeBolt, 112 (abs. 87)
  Lecanora lichens: Ryan, 112 (abs. 86)
  mass transplants: Enns, 110 (abs. 80)
  on Oregon white oak: Davis, 111 (abs. 83)
  Rare Lichens Project: Pittam, 112 (abs. 88)
  on red oaks: John, 112 (abs. 85)
Limnanthes *see* meadowfoam
LINDSEY, K.A. and D.R. GAYLORD. Lithofacies and sedimentology of the Miocene-Pliocene Ringold Formation, Hanford Site south-central Washington. 165-180
lithologies, carbonate
  Cambrian and Upper Devonian: Seward and Davis, 208-218
LIU, X. *see* Wang *et al.*, 98 (abs. 30)
LOMNICKY, G.A. Effects of stocked trout in naturally fishless high mountain lakes of North Cascades National Park, Washington. 106 (abs. 63)
LONG, W.A. Regional significance of the Dryden rhythmites and dropstones, Wenatchee River valley, Washington. 103 (abs. 50)
LOWE, J.S. Canopy closure in young Douglas-fir stands: an ecosystem perspective. 95 (abs. 19)

MacCRACKEN, J.G. and L.A. VIERECK. Browse regrowth and use by moose after fire in interior Alaska. 11-18
madrone, Pacific (*Arbutus menziesii*)
  bedrock water used: Newton and Wang, 103 (abs. 51)
mammals, small
  abundance in red alder forest: Chambers *et al.*, 101 (abs. 44)
MANN, J.W. *see* Tesch *et al.*, 131-139
maples, bigleaf (*Acer macrophyllum*)
  seed characteristics: Zasada, 96 (abs. 22)
MARCOT, B.G. Limnology, vegetation and classification of coast range slump-formed ponds. 55-63
MARTIN, R.E. and J. SCOTT. The process of duff burnout. 113 (abs. 89)
MAYFIELD, J.E. *see* Reaves *et al.*, 39-44
mayflies
  in stream communities: Dieterich and Anderson, 105 (abs. 59)
McCOMB, W. *see* Chambers *et al.*, 101 (abs. 44)

McCUNE, B. Lead accumulation in branch segments of increasing age in the lichen *Evernia prunastri*. 110 (abs. 79)
_____. *see also* Stone and McCune, 110 (abs. 78)
McINNIS, M.L., L.L. LARSON and R.F. MILLER. First-year defoliation effects on whitetop (*Cardaria draba* (L.) Desv.). 107 (abs. 68)
McINTIRE, C.D. and M. DEBACON. Taxonomic structure of phytoplankton assemblages in Crater Lake, Oregon. 115 (abs. 97)
McIVER, J.D., A.R. MOLDENKE and G.L. PARSONS. Litter spiders of the western Cascades: succession after clear-cutting. 102 (abs. 46)
McSHANE, C. *see* Antieau and McShane, 108 (abs. 70)
meadowfoam (*Limnanthes alba*)
somatic embryogenesis: Southworth and Kwiatowski, 109 (abs. 73)
Microtus *see* voles
MILLER, M.M. *see* Pelto and Miller, 121-130
MILLER, P.M., L.E. EDDLEMAN and S. KRAMER. Allocation patterns of carbon and minerals in *Juniperus occidentalis*. 93 (abs. 10)
MILLER, R.F. *see* Riegel and Miller, 92 (abs. 7)
_____. *see also* McInnis *et al.*, 107 (abs. 68)
mink (*Mustela vison*)
lead and cadmium concentrations: Blus and Henny, 219-223
MINORE, D. Riparian tree seedlings, shrubs and environment in the Oregon Coast Range. 96 (abs. 21)
MOLDENKE, A. *see* Shaw *et al.*, 104 (abs. 54)
MOLDENKE, A.R. *see* McIver *et al.*, 102 (abs. 46)
MOLNAU, M. *see* Burton *et al.*, 140-149
moose (*Alces alces*)
browse after fire: MacCracken and Viereck, 11-18
Mount Baker, Wa.
rare plant surveys: Antieau and McShane, 108 (abs. 70)
Mount St. Helens, Wa.
debris flow 1986: Cameron and Pringle, 159-164
lake recovery: Wissmar, 268-270
Pacific silver fir: Segura *et al.*, 94 (abs. 15)
Spirit Lake recovery: Larson, 106 (abs. 61)
stream recolonization: Hawkins and Sedell, 271-274
ten years later: Frenzen and Crisafulli, 263-267
mountain beavers (*Aplodontia rufa*)
repelled by powdered starling: Campbell and Farley, 101 (abs. 43)
MURRAY, M.D. Pacific yew: a forgotten tree becomes valuable. 97 (abs. 25)
Mustela *see* mink
Myrtle Island, Or.
vegetation and flora: Thompson, 108 (abs. 69)

NEWTON, M. and Z. WANG. Bedrock as a source of water for sclerophyll vegetation. 103 (abs. 51)
NEWTON, M. *see also* Chambers *et al.*, 101 (abs. 44)
_____. *see also* Cole and Newton, 91 (abs. 1)

oaks (*Quercus*)
Oregon white (*Q. garryana*)
and lichens: Davis, 111 (abs. 83)
red (*Q. rubra*)
lichen communities: John, 112 (abs. 85)
O'CONNELL, M.A. *see* Hallett and O'Connell, 101 (abs. 42)
Odocoileus *see* deer
oil spills
effects and recovery: Capuzzo, 247-249
OMI, P.N. and K. KALABOKIDIS. Fire severity and damage on extensively- versus intensively-managed lands within the North Fork fire 1988. 114 (abs. 95)
Onchorhynchus *see* steelhead
Oreamnos *see* goats
owls, spotted (*Strix occidentalis caurina*)
in Upper Skagit River drainage: Gaines *et al.*, 102 (abs. 45)

PARSONS, G.L. *see* McIver *et al.*, 102 (abs. 46)
PELTO, M.S. and M.M. MILLER. Mass balance of the Taku Glacier, Alaska, from 1946 to 1986. 121-130
petroleum hydrocarbons
and marine life: Capuzzo, 247-249
PHILLIPS, E.C. Environmental impacts and social conflict caused by off road vehicle use in the Roslyn-Cle Elum area of Washington state. 102 (abs. 48)
phytoplankton
in Crater Lake: McIntire and Debacon, 115 (abs. 97)
in Spirit Lake: Larson, 106 (abs. 61)
Picea *see* spruces
pines (*Pinus*)
lodgepole (*P. contorta*)
seedling growth: Lavender and Charleson, 100 (abs. 40)
P. brutia
environmental sensitivity: Isik *et al.*, 98 (abs. 29)
ponderosa (*P. ponderosa*)
understory competition: Riegel and Miller, 92 (abs. 7)
Pinus *see* pines
PITTAM, S.K. The rare lichens project: determining a conservation status. 112 (abs. 88)
PLAFKER, G. Regional vertical tectonic displacement of shorelines in south-central Alaska during and between great earthquakes. 250-258
plants
communities
on coastal headland: Rust, 96 (abs. 23)
in Sierra Nevada: Benson, 96 (abs. 24)
spacings
and W-waves: Wagner, 28-38
surveys
Mount Baker: Antieau and McShane, 108 (abs. 70)
Myrtle Island: Thompson, 108 (abs. 69)
pollution, metal
in lichen: McCune, 110 (abs. 79)
in mink: Blus and Henny, 219-223
poplars
leaf photosynthesis: Wagner, 109 (abs. 76)
populations
long-lived tree dynamics: Wilson, 187-194
microtine rodent dynamics: Hallett and O'Connell, 101 (abs. 42)
mountain goat control: Hoffman and Wright, 1-6
PRINGLE, P.T. *see* Cameron and Pringle, 159-164
Pseudotsuga *see* Douglas-firs
PUETTMANN, K.J., D.E. HIBBS and D.W. HANN. Development of the size-density surface for mixed red alder/Douglas-fir stands. 91 (abs. 3)

Quercus *see* oaks

RADWAN, M.A. and W.V. FANGEN. Production of quality red alder planting stock. 91 (abs. 2)
REAVES, J.L., C.G. SHAW and J.E. MAYFIELD. The effects of *Trichoderma* spp. isolated from burned and non-burned forest soils on the growth and development of *Armillaria ostoyae* in culture. 39-44
recreation resource planning
off-road vehicles: Phillips, 102 (abs. 48)
outdoor recreation behavior: Hospodarsky, 103 (abs. 49)

repellents
powdered starling: Campbell and Farley, 101 (abs. 43)
rhizobacteria
and conifer growth: Chanway, 99 (abs. 34)
RIEGEL, G.M. and R.F. MILLER. Understory competition for resources in *Pinus ponderosa* forests of north-eastern Oregon. 92 (abs. 7)
rillscale (*Atriplex suckleyi*)
as herbivore forage: Voorhees and Uresk, 181-186
Ringold Formation, Wa.
lithofacies and sedimentology: Lindsey and Gaylord, 165-180
rivers *see* streams
Rocky Mountains, Id. and Mt.
fires: Stickney, 243-246
ROUTSON, R.C. and V.G. JOHNSON. Recharge estimates for the Hanford Site 200 Areas Plateau. 150-158
RUST, S.K. Coastal headland plant community composition, Strait of Juan de Fuca, Washington. 96 (abs. 23)
RYAN, B.D. Ecological and phytogeographical distributions of the lobate species of *Lecanora* lichens in North America. 112 (abs. 86)

Salmo *see* trout
SAMORA, B. *see* Larson *et al.*, 105 (abs. 58)
SAPSIS, D.B. and J.B. KAUFFMAN. Fuel consumption and fire behavior associated with prescribed fires in sagebrush ecosystems. 113 (abs. 91)
SAUNDERS, M.B. *see* Brigham and Saunders, 7-10
SCOTT, J. *see* Martin and Scott, 113 (abs. 89)
SEDELL, J.R. *see* Hawkins and Sedell, 271-274
seeds
bigleaf maple: Zasada, 96 (abs. 22)
dormancy in alpine plants: Kaye, 107 (abs. 66)
germination: Kiemnec and Larson, 107 (abs. 67)
in microhabitats: Ingersoll and Wilson, 107 (abs. 65)
and revegetation after disturbance: Clark and Wilson, 106 (abs. 64)
SEGURA, G., T.M. HINCKLEY and G. WRIGHT. Patterns of decline of *Abies amabilis* in old- growth stands impacted by tephra deposition from Mount St. Helens. 94 (abs. 15)
SEWARD, W.P. and L.E. DAVIS. Cambrian and Upper Devonian lithologies of the Whitefish-MacDonald Range, northwest Montana and southeast British Columbia, a preliminary report. 208-218
SHARROW, S. *see* Emmingham *et al.*, 92 (abs. 6)
SHAW, C.H., A. MOLDENKE and J.R. BOYLE. Image based soil fauna taxonomy using Hypercard on a Macintosh computer. 104 (abs. 54)
SHAW, C.G. *see* Hennon *et al.*, 45-54
_____. *see also* Reaves *et al.*, 39-44
SHAW, D.C. and J. ARTHURS. Tracking wetwood in stumps of western hemlock. 97 (abs. 28)
Shawnee Hills, Il.
forest communities: Crooks, 104 (abs. 53)
SHERWOOD-PIKE, M. Ascus and spore modifications in epiphytic habitats. 111 (abs. 84)
Sierra Nevada, Ca.
mixed conifer forests: Benson, 96 (abs. 24)
SILIM, S.N., L. CHARLESON and D.P. LAVENDER. Environmental control of frost hardiness in seedlings of western red cedar (*Thuja plicata* D. Don) and yellow cedar (*Chamaecyparis nootkatensis* (Lamb.) Spach.). 100 (abs. 39)
SILIM, S.N., D.P. LAVENDER and L. CHARLESON. Patterns of cold hardening and dehardening of white spruce (*Picea glauca* (Moench.) Voss) seedlings. 100 (abs. 38)
SILIM, S.N. *see also* Lavender *et al.*, 99 (abs. 36)
_____. *see also* Lavender *et al.*, 100 (abs. 37)
SILLETT, S.C. The effects of air pollution on the canopy lichen communities of old-growth Douglas-fir forests. 111 (abs. 82)
_____. *see also* Denison and Sillett, 111 (abs. 81)
Skagit River
spotted owls: Gaines *et al.*, 102 (abs. 45)
soils
frost on rangeland watershed: Burton *et al.*, 140-149
and fungi after fire: Reaves *et al.*, 39-44
lignin and cellulose decomposition: Entry *et al.*, 104 (abs. 56)
and seedling growth: Crampton and Lavender, 98 (abs. 31)
and sewage sludge: Xue *et al.*, 105 (abs 57)
soil fauna taxonomy: Shaw *et al.*, 104 (abs. 54)
SOUTHWORTH, D. and S. KWIATKOWSKI. Somatic embryogenesis from immature embryos in meadowfoam (*Limnanthes alba*). 109 (abs. 73)
spiders
in leaf litter: McIver *et al.*, 102 (abs. 46)
SPIES, T. *see* Chen *et al.*, 95 (abs. 17)
Spirit Lake, Wa.
limnological recovery: Larson, 106 (abs. 61)
SPRAGUE, A. *see* Gaines *et al.*, 102 (abs. 45)
spruces (*Picea*)
seedling storage: Camm and Harper, 99 (abs. 33)
Engelmann (*P. engelmannii*)
and acidic deposition: Gilliland and Bedunah, 93 (abs. 12)
and CO_2 enrichment: Guy and Holowachuk, 94 (abs. 13)
white (*P. glauca*)
cold hardiness: Silim *et al.*, 100 (abs. 38)
and daylength: Gillies and Vidaver, 98 (abs. 32)
seedling growth: Husted, 99 (abs. 35); Lavender and Charleson, 100 (abs. 40)
steelhead (*Onchorhynchus mykiss*)
rearing ecology: Dambacher, 105 (abs. 60)
STICKNEY, P.F. Early development of vegetation following holocaustic fire in northern Rocky Mountain forests. 243-246
STONE, D.F. and B. McCUNE. Annual branching in the lichen *Evernia prunastri* in Oregon. 110 (abs. 78)
stoneflies
in stream communities: Dieterich and Anderson, 105 (abs. 59)
streams
invertebrate communities: Dieterich and Anderson, 105 (abs. 59)
recolonization: Hawkins and Sedell, 271-274
water quality: Larson *et al.*, 105 (abs. 58)
see also lakes
Strix *see* owls

Taku Glacier, Ak.
mass balance: Pelto and Miller, 121-130
TAPPEINER, J.C. *see* Harrington *et al.*, 92 (abs. 8)
taxonomy, computer
soil fauna: Shaw *et al.*, 104 (abs. 54)
Taxus *see* yews
TESCH, S.D., M.S. CRAWFORD, K. BAKER-KATZ and J.W. MANN. Recovery of Douglas-fir seedlings from logging damage in southwestern Oregon: preliminary evidence. 131-139
THILENIUS, J.F. Plant succession on earthquake uplifted coastal wetlands, Copper River delta, Alaska. 259-262
THOMAS, T.B. and R.L. EDMONDS. Dynamics of atmospheric deposition into the Hoh River valley. 93 (abs. 11)
THOMAS, T.R. and L.R. IRBY. Habitat use and movement patterns by migrating mule deer in southeastern Idaho. 19-27

THOMPSON, R.L. Vegetation and flora of Myrtle Island Research Natural Area, Oregon. 108 (abs. 69)
Thuja *see* cedars
Thymallus *see* grayling
Trichoderma spp.
and fire: Reaves *et al.*, 39-44
trout
brown (*Salmo trutta*) fry emergence: Young *et al.*, 224-231
and lake management: Bahls, 106 (abs. 62)
stocked in lakes: Lomnicky, 106 (abs. 63)
Tsuga *see* hemlocks
TUNG, C.-H. *see* Isik *et al.*, 98 (abs. 29)
TURPIN, D.H. *see* Weger *et al.*, 109 (abs. 74)

Upper Granite Lake, Wa.
Arctic grayling: Beauchamp, 195-207
URESK, D.W. *see* Voorhees and Uresk, 181-186

VAN PELT, R. Growth and mortality in old-growth forests: a comparison of two high volume stands in the Pacific Northwest. 97 (abs. 27)
_____. Tree invasion dynamics during primary succession along two rivers in western Washington. 95 (abs. 18)
VANCE, N.C. Proteins unique to cellular dessication in tissues of conifers. 109 (abs. 75)
VANCE, N.C. and M.V. WILSON. Introduction to the symposium: Environmental disasters: the nature of recovery. 237-238
vehicles, off-road
environmental impact: Phillips, 102 (abs. 48)
VIDAVER, W.E. *see* Gillies and Vidaver, 98 (abs. 32)
VIERECK, L.A. *see* MacCracken and Viereck, 11-18
volcanic activity *see* Mount St. Helens
voles, field (*Microtus montanus*)
DNA fingerprinting: Cummings and Hallett, 101 (abs. 41)
population dynamics: Hallett and O'Connell, 101 (abs. 42)
VOORHEES, M.E. and D.W. URESK. Evaluation of rillscale for herbivore forage on bentonite mine spoils. 181-186

W-waves
and gravity: Wagner, 104 (abs. 55)
and plant spacings: Wagner, 28-38
and sap flow: Wagner, 110 (abs. 77)
WAGNER, O.E. Interaction of W-waves and gravity. 104 (abs. 55)
_____. Sap flow and W-waves. 110 (abs. 77)
_____. W-waves and plant spacings. 28-38
WAGNER, R.H. The effect of deficiencies of N, P, K, and Mg on photosynthetic gas-exchange parameters in leaves of hybrid 11 poplar. 109 (abs. 76)
WAKIMOTO, R.H. The Yellowstone fires of 1988: natural process and natural policy. 239-242
WANG, Z. *see* Newton and Wang, 103 (abs. 51)
WANG, Z.Q., J.B. ZAERR, Y.C. CAI and X. LIU. Relative water content, xylem pressure potential, and transpiration rate in relation to drought resistance in six desert shrubs of northwest China. 98 (abs. 30)
water
bedrock sources for vegetation: Newton and Wang, 103 (abs. 51)
and desert shrubs: Wang *et al.*, 98 (abs. 30)
groundwater recharge: Routson and Johnson, 150-158
proteins specific to dessication: Vance, 109 (abs. 75)
stream quality: Larson *et al.*, 105 (abs. 58)
watersheds
frost distribution in rangeland: Burton *et al.*, 140-149
WEBB, W.L. Effect of increased CO_2 and climate change on tree growth: process model. 94 (abs. 14)
WEGER, H.G., R.D. GUY and D.H. TURPIN. Mitochondrial respiration in green algae. 109 (abs. 74)
Wenatchee River valley, Wa.
rhythmites and dropstones: Long, 103 (abs. 50)
WESCHE, T.A. *see* Young *et al.*, 224-231
Wetland Evaluation Technique (WET)
as land use planning tool: Griffith and Jackson, 103 (abs. 52)
Whitefish-MacDonald Range, Mt. and B.C.
carbonate lithologies: Seward and Davis, 208-218
whitetop (*Cardaria draba*)
defoliation effects: McInnes *et al.*, 107 (abs. 68)
seed germination: Kiemnec and Larson, 107 (abs. 67)
WILSON, M.V. Estimating demographic rates of long-lived trees. 187-194
_____. *see also* Clark and Wilson, 106 (abs. 64)
_____. *see also* Ingersoll and Wilson, 107 (abs. 65)
_____. *see also* Vance and Wilson, 237-238
WISSMAR, R.C. Recovery of lakes in the 1980 blast zone of Mount St. Helens. 268-270
WRIGHT, G. *see* Segura *et al.*, 94 (abs. 15)
WRIGHT, R.G. *see* Hoffman and Wright, 1-6

XUE, D., R. HARRISON and C.L. HENRY. Distribution of nutrients and trace metals in the profiles of soils amended with municipal sewage sludge after 15 years. 105 (abs. 57)

Yellowstone National Park, Mt.
fires in 1988: Wakimoto, 239-242
North Fork fire: Omi and Kalabokidis, 114 (abs. 95)
yews, Pacific (*Taxus brevifolia*)
become valuable: Murray, 97 (abs. 25)
YOUNG, M.K., W.A. HUBERT and T.A. WESCHE. Effect of substrate composition and stock origin on the survival to emergence of brown trout: a laboratory study. 224-231

ZAERR, J.B. *see* Wang *et al.*, 98 (abs. 30)
ZASADA, J. Seed characteristics of bigleaf maple (*Acer macrophyllum*). 96 (abs. 22)